



Pending

Active

- L1: (90) ((method or process) near2 aging) and (PDP
- L2: (11) 1 and ((scanS4 and sustainS3 and (data or sig
- L3: (11) 2 and voltage
- L4: (11) 3 and alternatS3
- L6: (79) 1 and voltage
- L7: (62) 6 and alternatS3

Failed

Saved

Favorites

Tagged (0)

UDC


Queue

Trash

Search List Browse Queue Clear

DBs: US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

Default operator: OR

☒ Plurals☒ Highlight all hit terms in body

BRS form IS&R form Image Text HTML

	Type	L#	Hits	Search Text	DBs	Time Stamp	Comments	Er	Error
1	BRS	L1	90	((method or process) near2 aging) and (PDP or (plasma adj display adj panel)) and dielectric and (manufacturS3 or making or fabricatS3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/07/05 13:16			
2	BRS	L2	11	1 and ((scanS4 and sustainS3 and (data or signal)) near2 electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/07/05 13:17			
3	BRS	L3	11	2 and voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/07/05 13:23			
4	BRS	L4	11	3 and alternatS3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/07/05 13:24			
5	BRS	L6	79	1 and voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/07/05 13:24			
6	BRS	L7	62	6 and alternatS3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/07/05 13:48			

Hits Details HTML

Ready

☒ Plurals

Default operator:
☒ Highlight all hit terms initially

	Type	Hits	Search Text	DBs	Time Stamp	C	Er	Errors	Ref #
1	BRS	0	((method or process) near3 aging) and (PDP or (plasma adj dispaty adj panel)) and dielectric and (electrode near2 (sustain and (data or signal) and scan)) and during and (manufactur\$3 or making or fabricat\$3) and discharge and voltage and alternat\$3 and anode and cathode and waveform and gradually and ascending and leading and edge and sharply and descending and trailing).clm.	US-PGPUB	2007/07/09 00:52				S1
2	BRS	0	((method or process) near3 aging) and (PDP or (plasma adj dispaty adj panel)) and dielectric and (electrode near2 (sustain and (data or signal) and scan)) and during and (manufactur\$3 or making or fabricat\$3) and discharge and voltage and alternat\$3 and anode and cathode and weaker and condition).clm.	US-PGPUB	2007/07/09 00:53				S2

10/510977

Inventor: YAMAUCHI, MASAOKI, et al

Status: 71 - RESPONSE TO NON-FINAL OFFICE ACTION ENTERED AND FORWARDED TO EXAMINER

Title: PLASMA DISPLAY PANEL AND ITS AGING METHOD

Examiner: TRAN, THUY VINH

GAU: 2821
Classification: 315/169.400

All tab report (3 items, sorted by IDS ASC)

IDS	Annot Avail	Doc Code	Date	Pages	Content	Entry #	Review Date	Reviewer
✓		IDS	10/13/2004	4	WIDS	11	05/09/2007 00:00:00	CR #232884
		1449	05/02/2006	1			N/A	
		1449	09/29/2005	1			N/A	